

FOR USE IN HEALTH CARE, DENTAL, MEDICAL, INDUSTRIAL & INSTITUTIONAL FACILITIES, FOOD PROCESSING ESTABLISHMENTS, AND HOSPITALS

Accel TB is a one-step disinfectant cleaner and odor neutralizer designed for general cleaning, and disinfecting of hard, non-porous environmental surfaces. It cleans quickly by removing dirt, grime, mold, mildew, and other common soils found in hospitals, nursing homes, schools and colleges, and medical/dental offices.

Accel TB's non-dulling formula eliminates the time and labor normally required for rinsing. It is designed for use on hard, non-porous environmental surfaces listed on this label made from: vinyl, Naugahyde, painted surfaces, plastic, glazed ceramic, glazed porcelain, chrome, stainless steel, aluminum, laminated surfaces and baked enamel surfaces associated with floors, walls, ceilings, tables, chairs, countertops, telephones, glazed tile, sinks. A potable water rinse is required for food contact surfaces. Do not use on glasses, dishes, utensils and cookware.

DIRECTIONS FOR USE:

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the blood stream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high level disinfection.

FOR USE AS A CLEANER AND/OR DEODORIZER:

Apply to surfaces by spray, cloth, sponge, or mop. Wipe surfaces dry or rinse.

FOR USE AS A ONE-STEP CLEANER/DISINFECTANT PRODUCT:

1. Pre-clean heavily soiled areas.
2. Apply Solution by spray, cloth, disposable wipe or mop to hard, non-porous environmental surfaces.
3. All surfaces must remain wet for 1 minute. Use a 5 minute contact time for TB and a 10 minute contact for fungi.
4. Wipe surfaces dry or rinse.

NOTE -- All food contact surfaces must be rinsed with potable water. Do not use on glassware, cookware, utensils, or dishes. If finish or restorer will be applied to floors, rinse the floor prior to applying coating.

BROAD SPECTRUM NON-FOOD CONTACT SANITIZER

Apply to hard non-porous surface; allow to remain wet for 30 seconds. Wipe dry. For heavily soiled areas a pre-cleaning is recommended.

READ M.S.D.S. BEFORE USING PRODUCT.

M.S.D.S. is available on line at www.virox.com.

FUNGICIDAL: 10 MIN.
TUBERCULOCIDAL: 5 MIN.
VIRUCIDAL: 1 MIN.
BACTERICIDAL: 1 MIN.
BROAD-SPECTRUM NON-FOOD CONTACT
SANITIZER: 30 SEC.



Ready to Use
One-Step Disinfectant Cleaner and Deodorizer
General *Virucide, Bactericide, Tuberculocide, Fungicide, Sanitizer

Active Ingredient:
Hydrogen Peroxide..... 0.5%
Other Ingredients..... 99.5%
Total..... 100.0%



KEEP OUT OF REACH OF CHILDREN

Net Contents:
5 U.S. Gallon (18.9L)

EPA Reg. No. 74559-1
EPA Est. No. 74559-CAN-1

Part No. ACCDISR-TB5G

**FUNGICIDAL
TUBERCULOCIDAL
VIRUCIDAL
BACTERICIDAL
BROAD-SPECTRUM
NON-FOOD CONTACT SANITIZER**

***KILLS HIV, HCV and HBV ON PRE-CLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/ BODY FLUIDS** in health care settings (Hospitals, Nursing Homes) and other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood/ body fluids, and in which the surfaces/objects likely to be soiled with blood/body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS), Hepatitis C Virus (HCV) or Hepatitis B Virus (HBV).

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS Virus), HCV OR HBV OF SURFACES/ OBJECTS SOILED WITH BLOOD/BODY FLUIDS.

Personal Protection: Disposable latex or vinyl gloves, gowns, face masks, or eye coverings as appropriate, must be worn during all cleaning of body fluids, blood, and decontamination procedures.

Cleaning Procedures: Blood/body fluids must be thoroughly cleaned from surfaces/objects before application of Accel TB.

Contact Time: Allow surface to remain wet for 1 minute to kill HIV-1, HCV and HBV. Use a 5 minute contact time for TB and a 10 minute contact for fungi.

Disposal of Infectious Material: Blood/body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

STORAGE AND DISPOSAL: Do not contaminate water, food or feed by storage or disposal. PESTICIDE STORAGE: Store in dry, well-ventilated area away from chemicals, direct light, heat or open flame. Do not mix with other cleaning or disinfecting products.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. For more information on the disposal of unused, unwanted product and the clean up of spills, contact the EPA Regional Office or the Manufacturer for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incinerate, or, if allowed by state and local authorities, burn. If burned, stay out of smoke.

ENVIRONMENTAL HAZARDS: Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting agency has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.



AL031(07/333)

FUNGICIDAL: 10 MIN.
TUBERCULOCIDAL: 5 MIN.
VIRUCIDAL: 1 MIN.
BACTERICIDAL: 1 MIN.
BROAD-SPECTRUM NON-FOOD CONTACT
SANITIZER: 30 SEC.

Accel TB is Effective in the presence of 5% serum load at 68°F (20°C) on hard, non-porous environmental surfaces against:

*** VIRUCIDAL (1 min)**
Poliovirus Type 1
HIV-1 (AIDS Virus)
Feline Calicivirus
Human Coronavirus
Influenza A/Hong Kong
Herpes Simplex Virus, Type 1
Herpes Simplex Virus, Type 2
Rhinovirus Type 37
Rotavirus WA
Hepatitis C Virus (HCV)
Hepatitis B Virus (HBV)

Virucidal activity was determined by the efficacy test methods for virucidal agents intended for inanimate environmental surfaces; ASTM 1053-07 Standard Test Method for Efficacy of Virucidal Agents Intended for Inanimate Environmental Surfaces and EPA protocols for surrogate viral testing.

HOSPITAL DISINFECTANT: BACTERICIDAL (1 min)

Pseudomonas aeruginosa
Staphylococcus aureus
Salmonella choleraesuis
Escherichia coli O157:H7

Staphylococcus aureus MRSA
Enterococcus faecalis VRE
Acinetobacter baumannii

Bactericidal activity was determined by the AOAC Use Dilution Test Method.

Notice to User: Accel TB may not be suitable for all items or surfaces. Prolonged exposure to copper, brass, anodized aluminum and some coatings should be avoided. If you are uncertain as to the material composition of your item, confirm with the manufacturer before proceeding or visit the Compatibility section on www.virox.com for a listing of compatible materials.

TUBERCULOCIDAL (5 min)
Mycobacterium bovis (BCG)
Tuberculocidal activity was determined by the EPA Quantitative Tuberculocidal Activity Test Method.

FUNGICIDAL (10 min)
Trichophyton mentagrophytes
Fungicidal activity was determined by the AOAC Fungicidal Activity of Disinfectants Method.

BROAD-SPECTRUM NON-FOOD CONTACT SANITIZING (30 sec)

Klebsiella pneumoniae
Salmonella choleraesuis
Pseudomonas aeruginosa
Staphylococcus aureus
Staphylococcus aureus MRSA
Enterococcus faecalis VRE
Escherichia coli O157:H7
Sanitizing activity was determined by the EPA Sanitizer Test for Inanimate, Non-Food Contact Surfaces and ASTM E1153 Standard Test Method for Efficacy of Sanitizers Recommended for Inanimate Non-Food Contact Surfaces.

Manufactured by:
Virox Technologies Inc.
2815 Bristol Circle, Unit #4
Oakville, ON L6H 6X5
1-800-387-7578
www.virox.com

