


# QuickTask™ Mop, TASK0600

The QuickTask™ range consists of a variety of flat mop heads that can be easily attached to a choice of flat mop head frame and handle assemblies.




The TASK0600 is a flat, pad-style mop cover designed for outstanding cleaning performance and exceptional durability. The unique microfiber and foam core construction ensures excellent floor contact, sorbency and superior surface cleaning. The ribbed microfiber face fabric is very sorbent, and the mop can be used for application of a wide range of solutions, and to mop dry already wet surfaces.




Features	Benefits
Unique microfiber face and foam core construction	<ul style="list-style-type: none"> <li>Ensures excellent surface conformity, sorbency, and superior surface cleaning</li> <li>Compatible with most common solutions, solvents and disinfectants</li> </ul>
Ribbed microfiber face	<ul style="list-style-type: none"> <li>Allows for exceptional cleaning, solution application, and mop to dry performance</li> </ul>
Open-Ended Style Back Pocket	<ul style="list-style-type: none"> <li>Open ending pocket allows for liquid to adequately drain to avoid over saturation</li> </ul>

Part No.	Description	Packaging
TASK0600	QuickTask Polyester/foam Mop Head, 16" x 5" (41x13cm)	1/bag; 40 bags/case
2740	QuickTask Polypropylene Mop Frame, 16" x 4.25" (41x11cm) Compatible with handle 2725E with adapter 2758	1/case
2699P	QuickTask Polypropylene Magnetic Mop Frame	1/case
2906	QuickTask Stainless Steel Magnetic Mop Frame	1/case

**Product Information**

Mop materials	Polyester microfiber fully encapsulated foam core; Polyester mesh backing; Polyester hemmed edge
Mop construction	Multilayer sewn lamination/sealed border
Packaging Materials	Outer bags (OB1), low density polyethylene (LDPE)  Case (CS), corrugated fiberboard (PAP) 
Chemical compatibility	Compatible with a wide range of chemicals and disinfectants
Environment	ISO 5-8 Grade A/B for sterile, C/D for nonsterile
Compatible mop frames	2906 (stainless steel), 2699P (autoclavable polypropylene) and 2740 (PP)  (autoclavable polypropylene)



**Technical Data**






Attribute (units)	Typical Value	Test Method
Mop weight, dry; (g)	46	CTM004-03
Sorbent capacity; (mL/mop)	438	CTM004-03
Particles $\geq 0.5\mu\text{m}$ ; ( $\times 10^6/\text{mop}$ )	8.5	CTM006-01
Fibers $\geq 100\mu\text{m}$ ; ( $\times 10^3/\text{mop}$ )	0.134	CTM006-01
Mop Coverage ft <sup>2</sup> (m <sup>2</sup> )		CTM037-01
S-Curve	336 (31)	
Place and Pull	161 (15)	

**Packaging**

	EA/OB1	OB1/CS	EA/CS
TASK0600	40	1	40

EA = Each, OB1 = Outer Bag 1, CS = Case

**Recycle Symbol Key**

PET	
HDPE	
LDPE	
PP	
PAP	

**Notes**

- a) The data shown are typical values and should not be used as product specifications.
- b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.
- d) CTM – Refers to Contec Test Method
- e) Mop Coverage data is based on mop head applying solution such that the mopped surface is visibly wetted across the full mop path with no dry streaking observed, under controlled conditions. It is the responsibility of the user to determine appropriate coverage to ensure surfaces are visibly wet for the contact time required for their specific solution.