

SAFETY DATA SHEET

1. Identification

Product identifier Contec® CyQuanol - (LQ) (Canada)

Other means of identification

SDS number LQFL3300
Product code SBT09CQCA
Recommended use Disinfectant.
Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Company name Contec, Inc.

Address 525 Locust Grove

Spartanburg, SC 29303

USA

 Telephone
 1-864-503-8333

 Email
 SDS@contecinc.com

Emergency phone number Call CHEMTREC Day or Night

USA/Canada: 1.800.424.9300

Mexico: 1.800.681.9531

Outside USA/Canada: +1.703.527.3887

2. Hazard identification

Physical hazardsFlammable liquidsCategory 2Health hazardsAcute toxicity, inhalationCategory 4Serious eye damage/eye irritationCategory 2Environmental hazardsHazardous to the aquatic environment, acuteCategory 3

hazard

Label elements



Signal word Danger

Hazard statement Highly flammable liquid and vapour. Causes serious eye irritation. Harmful if inhaled. Harmful to

aquatic life.

Precautionary statement

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed. Ground and bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting equipment. Use non-sparking tools. Take action to prevent static discharges. Avoid breathing vapours. Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. IF

INHALED: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a POISON CENTRE/doctor if you feel unwell. If eye irritation persists: Get

medical advice/attention. In case of fire: Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Supplemental information None.

Other hazards None known.

Contec® CyQuanol - (LQ) (Canada)
958678 Version #: 01 Revision date: - Issue date: 17-March-2025

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ethanol		64-17-5	65 - 85
Didecyldimethylammonium chlo	ride	7173-51-5	0.1 - 1

Composition comments

The specific chemical identity and/or exact percentage of component(s) have been withheld as a trade secret.

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Inhalation Remove person to fresh air and keep at rest in a position comfortable for breathing. Oxygen or

artificial respiration if needed. Call a poison centre or doctor/physician if you feel unwell.

Skin contact Take off immediately all contaminated clothing. Rinse skin with water/shower. Get medical

attention if irritation develops and persists.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

Take off all contaminated clothing immediately. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Wash contaminated clothing before reuse.

Water fog. Alcohol resistant foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Fire fighting equipment/instructions

Specific methods

General fire hazards

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Vapours may form explosive mixtures with air. Vapours may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed.

In case of fire and/or explosion do not breathe fumes. Move containers from fire area if you can do so without risk. Prevent runoff from fire control or dilution from entering streams, sewers or drinking water supply.

Use standard firefighting procedures and consider the hazards of other involved materials.

Highly flammable liquid and vapour.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid inhalation of vapours and spray mists. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

SDS Canada

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil etc) away from spilled material. Take precautionary measures against static discharge. Use only non-sparking tools. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so.

7. Handling and storage

Precautions for safe handling

Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Explosion-proof general and local exhaust ventilation. Take precautionary measures against static discharges. All equipment used when handling the product must be grounded. Use non-sparking tools and explosion-proof equipment. Avoid inhalation of vapours and spray mists. Avoid contact with eyes. Avoid prolonged exposure. Use only outdoors or in a well-ventilated area. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

PESTICIDE STORAGE: Always store this product and all pesticides in the original container. If a leaky container must be contained within another, mark the outer container to identify the contents. Protect from extreme heat or cold. Keep away from heat, sparks and open flame. Prevent electrostatic charge build-up by using common bonding and grounding techniques. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Store in a well-ventilated place. Keep in an area equipped with sprinklers. Store away from incompatible materials (see section 10 of the SDS).

Value

8. Exposure controls/personal protection

Occupational exposure limits

Components

	400111	-	4	\/	/TI \ \
US.	ACGIH	Threshold	Limit	values	(ILV)

Components	туре	value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Alberta OELs (Occupat	ional Health & Safety Code, Sci	hedule 1, Table 2), as amended	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	TWA	1880 mg/m3	
		1000 ppm	
Canada. British Columbia OELs Safety Regulation 296/97, as am	•	s for Chemical Substances, Occupational Health and	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. Manitoba OELs (Reg. 2	17/2006. The Workplace Safety	And Health Act), as amended	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada. New Brunswick OELs: Publication (New Brunswick Re		Based on the 1991 and 1997 ACGIH TLVs and BEIs	
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1000 ppm	
Canada - Northwest Territories			
Components	Туре	Value	
Ethanol (CAS 64-17-5)	STEL	1250 ppm	
	TWA	1000 ppm	

Typo

Contec® CyQuanol - (LQ) (Canada)

SDS Canada

958678 Version #: 01 Revision date: - Issue date: 17-March-2025

Canada. Ontario OELs. (Control of Exposure to Biological or Chemical Agents), as amended

Components Type Value

Ethanol (CAS 64-17-5) STEL 1000 ppm

Canada. Quebec OELs. (Ministry of Labor - Regulation respecting occupational health and safety)

Components Type Value

Ethanol (CAS 64-17-5) TWA 1000 ppm

Canada. Saskatchewan OELs (Occupational Health and Safety Regulations, 1996, Table 21), as amended

Components Type Value

Ethanol (CAS 64-17-5) 15 minute 1250 ppm 8 hour 1000 ppm

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Rubber gloves. Confirm with a reputable supplier first.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Physical stateLiquid.FormClear liquid.ColourColourless.OdourAlcohol.

Melting point/freezing point
Boiling point or initial boiling
point and boiling range

Property has not been measured. Property has not been measured.

Flammability Highly flammable liquid and vapour.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Property has not been measured.

Explosive limit - upper Property has not been measured.

(%)

Flash point 18.5 °C (65.3 °F) Tag closed cup

Auto-ignition temperature Property has not been measured.

Property has not been measured.

pH 3.7 (25 °C (77 °F))

Kinematic viscosity Property has not been measured.

Solubility

Solubility (water) Property has not been measured.

Partition coefficient -0.31 (Ethanol)

(n-octanol/water) (log value)

Vapour pressure Property has not been measured.

Contec® CyQuanol - (LQ) (Canada)
958678 Version #: 01 Revision date: - Issue date: 17-March-2025

Density and/or relative density

Density 0.86

Vapour density Property has not been measured.

Particle characteristics Not applicable (the material is a liquid).

Other information

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

Viscosity 3.23 cSt (20°C/68°F)

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

Incompatible materials Strong oxidising agents.

Hazardous decomposition

products

Carbon oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Harmful if inhaled. In high concentrations, vapours are narcotic and may cause headache, fatigue,

dizziness and nausea.

Skin contact Prolonged skin contact may cause temporary irritation.

Eye contact Causes serious eye irritation.

Ingestion May cause discomfort if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics

Headache. Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and

blurred vision. Coughing.

Information on toxicological effects

Acute toxicity	Harmful if inhaled.	
Product	Species	Test Results
Contec® CyQuanol - (LQ)	(Canada) (CAS Mixture)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 5000 mg/kg Test data
Inhalation		
LC50	Rat	> 2.1 mg/l Test data
Oral		
LD50	Rat	> 5000 mg/kg Test data
Components	Species	Test Results
Didecyldimethylammonium	n chloride (CAS 7173-51-5)	
<u>Acute</u>		
Oral		
LD50	Rat	331 mg/kg
Ethanol (CAS 64-17-5)		
Acuto		

<u>Acute</u>

<u>Acute</u> Dermal

LD50 Rat > 2000 mg/kg

Inhalation

Vapour

LC50 Mouse 39 g/m3, 4 Hours

Contec® CyQuanol - (LQ) (Canada)
958678 Version #: 01 Revision date: - Issue date: 17-March-2025

Test Results Components **Species**

Oral

LD50 Rat 7000 - 11000 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Respiratory sensitisation Not a respiratory sensitiser.

Skin sensitisation This product is not expected to cause skin sensitisation.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity Not classifiable as to carcinogenicity to humans.

ACGIH Carcinogens

Ethanol (CAS 64-17-5) A3 Confirmed animal carcinogen with unknown relevance to

humans.

Canada - Manitoba OELs: carcinogenicity

Ethanol (CAS 64-17-5) Confirmed animal carcinogen with unknown relevance to humans.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not an aspiration hazard.

Chronic effects Organic solvents may be absorbed into the body by inhalation and cause permanent damage to

the nervous system, including the brain.

12. Ecological information

Harmful to aquatic life. **Ecotoxicity**

Test Results Components Species

Didecyldimethylammonium chloride (CAS 7173-51-5)

Aquatic

Acute

Crustacea LC50 Water flea (Daphnia magna) 0.16 mg/l, 48 hours

Fish LC50 Coho salmon, silver salmon >= 0.32 - <= 0.56 mg/l, 96 hours

(Oncorhynchus kisutch)

Ethanol (CAS 64-17-5)

Aquatic

Acute

Crustacea LC50 Ceriodaphnia dubia 5012 mg/l, 48 hours

> Daphnia magna 454 mg/l, 11 days

Fish LC50 Pimephales promelas 13480 mg/l, 96 hours

Chronic

NOEC Crustacea Ceriodaphnia dubia 9.6 mg/l, 10 days

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Contec® CyQuanol - (LQ) (Canada) -0.31, (Ethanol)

Ethanol (CAS 64-17-5) -0.31

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

Contec® CyQuanol - (LQ) (Canada)

SDS Canada

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

> contents/container in accordance with local/regional/national/international regulations. PESTICIDE DISPOSAL: Do not contaminate food or feed by storage, disposal or cleaning of equipment. Wastes resulting from the use of this product may be disposed of on site or at an

approved waste disposal facility.

CONTAINER DISPOSAL: Non-refillable container. Do not reuse or refill this container. Offer for

recycling if available, or discard empty container in trash.

CONTAINER DISPOSAL: Refillable container. Refill plastic canister with this brand of pesticide product only. Do not reuse this container for any other purpose. Offer plastic container for recycling

if available, or discard in trash.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions). Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

TDG

UN1170 **UN** number

UN proper shipping name Transport hazard class(es) ETHANOL SOLUTION, Limited Quantity

3 Class **Subsidiary hazard** Packing group Ш **Environmental hazards** No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA

UN number UN1170 Ethanol solution

UN proper shipping name

Transport hazard class(es)

Class 3 **Subsidiary hazard** Ш Packing group **Environmental hazards** No **ERG Code** 3L

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number

UN proper shipping name

ETHANOL SOLUTION, Limited Quantity

Transport hazard class(es)

3 Class **Subsidiary hazard** Ш Packing group **Environmental hazards**

> Marine pollutant No. F-E, S-D

EmS

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Transport in bulk according to Annex II of MARPOL 73/78 and

Not applicable.

the IBC Code

General information The product may be shipped as a Limited Quantity when packed in quantities of less than 1 liter.

15. Regulatory information

Canadian regulations This product has been classified in accordance with the hazard criteria of the HPR and the SDS

contains all the information required by the HPR.

Controlled Drugs and Substances Act

Not regulated.

Export Control List (CEPA 1999, Schedule 3)

Not listed.

Greenhouse Gases

Not listed.

Precursor Control Regulations

Not regulated.

International regulations

Stockholm Convention

Not applicable.

Rotterdam Convention

Not applicable.

Kyoto Protocol

Not applicable.

Montreal Protocol

Not applicable.

Basel Convention

Not applicable.

Country(s) or region

International Inventories

3 ()		
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes

Existing Chemicals List (ECL) Yes Korea New Zealand **New Zealand Inventory** Yes **Philippines** Philippine Inventory of Chemicals and Chemical Substances Yes

(PICCS)

Inventory name

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

16. Other information

Issue date 17-March-2025

Revision date Version No. 01

Further contact: **Further information**

MacIsaac & Associates

440 Gloucester Street, Suite 2111 Ottawa, Ontario, K1R 7T8 Canada

Issue date: 17-March-2025

+1 (613) 236-2250

Contec, Inc. cannot anticipate all conditions under which this information and its product, or the Disclaimer

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

958678 Version #: 01 Revision date: -

On inventory (yes/no)*

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).