

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Presaturated wipes containing 9% Isopropyl alcohol, 91% water (SCFL)

Other means of identification

SDS number 0991SCFL PSPN0010 **Product code** 

Recommended use Presaturated cleaning wipes.

**Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** Contec, Inc. **Address** 525 Locust Grove

Spartanburg, SC 29303

USA

Telephone 1-864-503-8333 **Email** SDS@contecinc.com

Call CHEMTREC day or night **Emergency phone number** 

USA/Canada: 1.800.424.9300

Mexico: 1.800.681.9531

Outside USA/Canada: +1.703.527.3887

## 2. Hazard(s) identification

Physical hazards Flammable liquids Category 3

**Health hazards** Not classified. Not classified. **OSHA** defined hazards

Label elements



Signal word Warning

**Hazard statement** Flammable liquid and vapor.

**Precautionary statement** 

Prevention Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly

closed. Use only non-sparking tools. Take precautionary measures against static discharge. Wear

protective gloves/protective clothing/eye protection/face protection.

Response If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use appropriate media to extinguish.

Store in a well-ventilated place. Keep cool. Storage

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information Although the product as a whole is in solid format, the product does not meet the OSHA HCS

definition of a flammable solid as per Appendix B to 1910.1200 - Physical Hazard Criteria, section

B.7.1 and B. 7.2 or Canada's Hazardous Products Regulations Subpart 7.

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	CAS number	%	
Propan-2-ol	67-63-0	9	

Presaturated wipes containing 9% Isopropyl alcohol, 91% water (SCFL) SDS US 966739 Version #: 01 Revision date: - Issue date: 19-June-2024

**Composition comments** 

All concentrations are in percent by weight. Components not listed are either non-hazardous or are below reportable limits.

## 4. First-aid measures

Inhalation

Not relevant, due to the form of the product. However: If inhaled: Remove person to fresh air and

keep comfortable for breathing. Call a physician if symptoms develop or persist.

Skin contact

Rinse skin with water/shower. Get medical attention if irritation develops and persists.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention if irritation develops and persists.

Ingestion

Not relevant, due to the form of the product. In case of ingestion: Rinse mouth. Get medical

attention if symptoms occur.

Most important symptoms/effects, acute and

delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Thermal burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital.

General information

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

## 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

May burn with invisible flame. Vapors may form explosive mixtures with air. Vapors may travel considerable distance to a source of ignition and flash back. During fire, gases hazardous to health may be formed. Carbon oxides. Nitrogen oxides. Organic compounds.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

In case of fire and/or explosion do not breathe fumes. Cool containers exposed to flames with water. Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards Flammable liquid and vapor.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist/vapors. Avoid contact with skin, eyes and clothing. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate closed spaces before entering them. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material.

Avoid release to the environment. The liquid solvent solution is miscible in water.

Avoid discharge into drains, water courses or onto the ground.

Spills are very unlikely, because the wiper fabric has absorbed the liquid solvent solution. In the event of a spill, contain with an inert absorbent. Collect the wipes with a non sparking tool and absorb or wipe any residual liquids. Put material in suitable container.

**Environmental precautions** 

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

\_ .. ... . . .

7. Handling and storage

Precautions for safe handling

WARNING! Used wipes may catch fire if improperly discarded or stored near ignition sources. Do not handle, store or open near an open flame, sources of heat or sources of ignition. Protect material from direct sunlight. When using do not smoke. Avoid breathing mist/vapors. Avoid contact with skin, eyes and clothing. Avoid prolonged exposure. Wash thoroughly after handling. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in a cool, dry place out of direct sunlight. Store in tightly closed container. Keep containers closed when not in use. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

Components	Type	Value	
Propan-2-ol (CAS 67-63-0)	PEL	980 mg/m3	
		400 ppm	
US. ACGIH Threshold Limit Value Components	s (TLV) Type	Value	
Propan-2-ol (CAS 67-63-0)	STEL	400 ppm	
	TWA	200 ppm	
NIOSH. Immediately Dangerous to Components	D Life or Health (IDLH) Values Type	as amended Value	
Propan-2-ol (CAS 67-63-0)	IDLH	2 %	
		2000 ppm	

US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Type

**STEL** 

**TWA** 

# Biological limit values

Components

Propan-2-ol (CAS 67-63-0)

ACCIL	Richarical	Evnocuro	Indices (BFI)

**US. NIOSH: Pocket Guide to Chemical Hazards** 

Components	Value	Determinant	Specimen	Sampling Time
Propan-2-ol (CAS 67-63-0)	40 mg/l	Acetone	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

**Exposure guidelines** Follow standard monitoring procedures.

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to

Value

1225 mg/m3 500 ppm

980 mg/m3 400 ppm

maintain airborne levels below recommended exposure limits.

# Individual protection measures, such as personal protective equipment

**Eye/face protection** Not necessary under normal conditions.

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves. Take note of the information given by the

manufacturer concerning permeability and break through times, and of special workplace

conditions (mechanical strain, duration of contact).

Recommended materials: Polyethylene. Neoprene. Chlorinated polyethylene (or Chlorosulfonated polyethylene). Natural rubber. Polyvinyl chloride (PVC). Nitrile rubber/Nitrile latex - NBR. Ethyl vinyl

alcohol laminate ("EVAL").

Unsuitable materials: Polyvinyl alcohol (PVA).

Skin protection

Other Wear suitable protective clothing.

**Respiratory protection** Not necessary under normal conditions. If engineering controls do not maintain airborne

concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn. Wear NIOSH approved respirator appropriate for airborne exposure at the point of use.

Check with respiratory protective equipment suppliers.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

Canaral hugiana Whan yaing do not amaka. Alwaya abaarya good naraanal hyg

**General hygiene**considerations
When using do not smoke. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

#### oronimid arra brotoonito odarbirrom

# 9. Physical and chemical properties

# **Appearance**

Physical state Solid.

**Form** Wipes saturated with liquid.

Color Colorless.

Odor Alcohol-like.

**Odor threshold** Property has not been measured.

pH Property has not been measured. (liquid)

Melting point/freezing point Property has not been measured. (liquid)

Initial boiling point and boiling 188.6 - 192.2 °F (87 - 89 °C) (liquid)

range

Flash point 111.92 °F (44.4 °C) (liquid)

Evaporation rate > 1 (Butyl Acetate = 1) (liquid)

Flammability (solid, gas) Wipes will burn if involved in a fire.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) 2.0 % (liquid)

Explosive limit - upper (%) 12.0 % (liquid)

Vapor pressure 3.7 kPa (28 mm Hg) (68 °F (20 °C) (liquid))

Vapor density > 1 (Air=1) (liquid)

Relative density 0.985 @ 20°C (68°F) (68 °F (20 °C) (liquid))

Solubility(ies)

Solubility (water) Soluble in water. (liquid)

Partition coefficient Not applicable to mixtures.

(n-octanol/water)

**Decomposition temperature** Property has not been measured.

Viscosity Property has not been measured. (liquid)

Other information

**Auto-ignition temperature** 

**Density** Property has not been measured. (liquid)

**Explosive properties** Not explosive.

**Kinematic viscosity** Property has not been measured. (liquid)

Oxidizing properties Not oxidizing.

Percent volatile 100 % (IPA)

10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

797 °F (425 °C) ASTM E - 2155 /100% isopropyl alcohol (liquid)

Conditions to avoid Avoid heat, sparks, open flames and other ignition sources. Avoid temperatures exceeding the

flash point. Contact with incompatible materials.

**Incompatible materials** Aldehydes. Halogenated organics. Halogens. Strong acids. Strong oxidizing agents.

Hazardous decomposition

products

Thermal decomposition or combustion may produce: Carbon oxides. Nitrogen oxides. Organic compounds.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation No inhalation hazard under normal conditions. However: Prolonged inhalation may be harmful.

Skin contactProlonged skin contact may cause temporary irritation.Eye contactDirect contact with eyes may cause temporary irritation.

**Ingestion** Not likely, due to the form of the product. However: Ingestion may cause irritation and malaise.

Symptoms related to the physical, chemical and toxicological characteristics

Direct contact with eyes may cause temporary irritation.

## Information on toxicological effects

Acute toxicity

ComponentsSpeciesTest ResultsPropan-2-ol (CAS 67-63-0)Acute

<u>Acute</u> Dermal

LD50 Rabbit 12870 mg/kg

Inhalation

Vapor

LC50 Rat 72.6 mg/l, 4 hours

Oral

LD50 Rat 4710 mg/kg

Skin corrosion/irritation Serious eye damage/eye

irritation

Prolonged skin contact may cause temporary irritation. Direct contact with eyes may cause temporary irritation.

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Propan-2-ol (CAS 67-63-0) 3 Not classifiable as to carcinogenicity to humans.

**NTP Report on Carcinogens** 

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

**Further information** No other specific acute or chronic health impact noted.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Components **Species Test Results** Propan-2-ol (CAS 67-63-0) Aquatic Acute Crustacea LC50 > 10000 mg/l, 24 hours Daphnia magna Fish LC50 Pimephales promelas 9640 mg/l, 96 hours Chronic Crustacea EC50 Daphnia magna > 100 mg/l, 21 days NOEC Daphnia magna 141 mg/l, 16 days 30 mg/l, 21 days

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

**Bioaccumulative potential** Bioconcentration potential is low.

Presaturated wipes containing 9% Isopropyl alcohol, 91% water (SCFL) 966739 Version #: 01 Revision date: - Issue date: 19-June-2024

Partition coefficient n-octanol / water (log Kow)

Propan-2-ol (CAS 67-63-0) 0.05

Isopropyl alcohol is highly mobile in soil. Mobility in soil

Other adverse effects The product contains a volatile organic compound which has a photochemical ozone creation

potential.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in **Disposal instructions** 

accordance with all applicable regulations. Used wipes must be disposed in a closed container.

Dispose of used wipes by dry waste to landfill.

Dispose in accordance with all applicable regulations. Local disposal regulations

D001: Waste Flammable material with a flash point <140 F Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Do not re-use empty containers.

14. Transport information

DOT

UN3175 **UN** number

UN proper shipping name Solids containing flammable liquid, n.o.s. (Isopropanol)

Transport hazard class(es)

4.1 **Subsidiary hazard** 

4.1 Label(s) П Packing group

**Environmental hazards** 

Marine pollutant No.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

IATA: Not permitted for transport.

47. IB6. IP2. T3. TP33 Special provisions

Packaging exceptions 151 Packaging non bulk 212 240 Packaging bulk

**IATA** 

**UN number** 

UN proper shipping name

Transport hazard class(es)

Class **Subsidiary hazard Packing group** 

**Environmental hazards** No.

Special precautions for user IATA classification is not relevant as the material is not transported by air.

**IMDG** 

**UN** number UN3175

**UN** proper shipping name SOLIDS CONTAINING FLAMMABLE LIQUID, N.O.S. (Isopropanol)

Transport hazard class(es)

Class 4.1 Subsidiary hazard Ш Packing group **Environmental hazards** 

> Marine pollutant No F-A. S-I

**EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling. Not established.

Transport in bulk according to Annex II of MARPOL 73/78 and

the IBC Code

Presaturated wipes containing 9% Isopropyl alcohol, 91% water (SCFL) 966739 Version #: 01 Revision date: - Issue date: 19-June-2024

## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Propan-2-ol (CAS 67-63-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

**Toxic Substances Control Act (TSCA)** 

All components of the mixture on the TSCA 8(b) inventory are designated

## Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

**Classified hazard** 

Flammable (gases, aerosols, liquids, or solids)

categories

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Propan-2-ol	67-63-0	9	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Propan-2-ol (CAS 67-63-0)

Low priority

#### **US** state regulations

#### **US. Massachusetts RTK - Substance List**

Propan-2-ol (CAS 67-63-0)

## US. New Jersey Worker and Community Right-to-Know Act

Propan-2-ol (CAS 67-63-0)

## US. Pennsylvania Worker and Community Right-to-Know Law

Propan-2-ol (CAS 67-63-0)

#### **US. Rhode Island RTK**

Propan-2-ol (CAS 67-63-0)

## California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins. For more information go to www.P65Warnings.ca.gov.

#### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Presaturated wipes containing 9% Isopropyl alcohol, 91% water (SCFL)

SDS US 966739 Version #: 01 Revision date: - Issue date: 19-June-2024

Country(s) or region Inventory name On inventory (yes/no)\*

JapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYes

Philippines Philippine Inventory of Chemicals and Chemical Substances

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

## 16. Other information, including date of preparation or last revision

Issue date 19-June-2024

Revision date - 01

Further information HMIS® personal protection: B - Safety Glasses, Gloves

HMIS® ratings Health: 0

Flammability: 3 Physical hazard: 0 Personal protection: B

**List of abbreviations** DOT: Department of Transportation.

EC50: Effective Concentration, 50%.

IARC: International Agency for Research on Cancer.

IATA: International Air Transport Association.

IBC Code: International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk.

IDLH: Immediately Dangerous To Life or Health. IMDG: International Maritime Dangerous Goods.

LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%.

MARPOL: International Convention for the Prevention of Pollution from Ships.

NOEC: No observed effect concentration. NTP: National Toxicology Program. PEL: Permissible Exposure Limit. STEL: Short-Term Exposure Limit. TWA: Time Weighted Average.

**Disclaimer**Contec, Inc. cannot anticipate all conditions under which this information and its product, or the

products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Yes

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).