

# Clean Scrub™ Mop


## Textured mesh covered mop head

Contec's Clean Scrub™ single-use mop head is wrapped with a textured polyester mesh to eliminate dirt and grime from heavily contaminated surfaces. The mop head has a core of polyester fabric and foam that provides exceptional liquid absorption and resists tearing.



This pad is fastened to a semi-rigid thermoformed plate that easily snaps onto existing QuickConnect™ mop frames and provides steady contact pressure on mopped surfaces. The Clean Scrub mop will not scratch surfaces. Compatible with most disinfectants and solutions, Clean Scrub is ideal for many cleaning applications. Due to the thermoformed plastic backplate, Clean Scrub should not be autoclaved.



Features	Benefits
Textured polyester mesh	<ul style="list-style-type: none"><li>• Removes heavily soiled contamination</li><li>• Compatible with most common solutions, solvents and disinfectants</li></ul>
Single-use mop head	<ul style="list-style-type: none"><li>• Eliminates cross contamination</li><li>• Slim profile fits into small spaces</li></ul>
Suitable for use with VertiKlean MAX mop frames	<ul style="list-style-type: none"><li>• Compatible with QuickConnect stainless steel and anodized aluminum handles</li></ul>

Part No.	Description	Size	Packaging
VKSC0003	Clean Scrub Mop	13" x 4" x 1" (330 x 102 x 25 mm)	4/bag; 7 bags/case
VKSC0003IR	Clean Scrub™ Irradiated Mop 	13" x 4" x 1" (330 x 102 x 25 mm)	1/bag; 28 bags/case
2652SS	QuickConnect Mop Frame, Stainless steel	11.5" (29 cm)	1/each
2652LF	QuickConnect Lay Flat Mop Frame Stainless steel	11.5" (29 cm)	1/each
2725E	QuickConnect One Piece Handle Stainless steel	60" (150 cm)	1/each
2643	QuickConnect Telescopic Handle Anodized aluminum	50" x 92" (130 x 230 cm)	1/each
2645	QuickConnect Telescopic Handle Stainless steel	50" x 92" (130 x 230 cm)	1/each

### Product Information

Cover material	<ul style="list-style-type: none"> <li>100% knitted polyester</li> </ul>
Cover construction Scrub pad Backing plate	<ul style="list-style-type: none"> <li>Textured polyester mesh surrounding 60ppi ester foam</li> <li>Thermoformed polyester, white, polyethylene</li> </ul>
Packaging materials	<ul style="list-style-type: none"> <li>Outer bags (OB1, OB2, OB3), low density polyethylene (LDPE) </li> <li>Case (CS), corrugated fiberboard (PAP) </li> </ul>



VKSC0003

### Recycle Symbols



Technical Data		
Attribute (units)	Typical Value	Test Method
Mop weight, dry; (g)	85.5	CTM004-03
Sorbent capacity; (mL/mop)	301	CTM004-03
Particles $\geq 0.5\mu\text{m}$ ; ( $\times 10^6/\text{m}^2$ )	97	IEST-RP-CC004.2, Sec. 5.1
Fibers $\geq 100\mu\text{m}$ ; ( $\times 10^3/\text{m}^2$ )	0.06	IEST-RP-CC004.2, Sec. 5.2
Mop frames	2652SS, 2652LF	

Packaging	EA/OB1	OB1/OB2	OB2/CS	EA/CS	
VKSC0003	4	1	7	28	
	EA/OB1	OB1/OB2	OB2/OB3	OB3/CS	EA/CS
VKSC0003IR	1	4	1	7	28

EA = each; OB = outer bag; CS = case

#### Notes

- The data shown are typical values and should not be used as product specifications.
- Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- Current and/or comparison data may be available. Please contact a Contec sales representative for details.

#### Test Methods

- CTM = Refers to Contec Test Method.
- Mop coverage data is based on mop head applying solution such that the mopped surface is visibly wetted across the full mop path with no dry streaking observed, under controlled conditions. It is the responsibility of the user to determine appropriate coverage to ensure surfaces are visibly wet for the contact time required for their specific solution.