Edgeless® Floor Mop

Polyester string mop

Edgeless[®] Floor Mops are made from strong, durable knitted polyester, eliminating contamination from breakage and deterioration common with cotton and rayon string mops. Cleanroom laundered Edgeless Floor Mops are made from a continuous tube of 100% polyester knitted fabric looped to form mop strands that will not shed or break.

Patented Textured and Long Textured Edgeless Mops feature unique ribbed, twisted strands that are more sorbent than traditional string mops and have a textured head band that is ideal when additional abrasion resistance is required.

All mops are available sterilized by gamma radiation, and can be autoclaved. Validated sterile to a 10⁻⁶ SAL per ANSI/AAMI/ISO 11137 guidelines. Certificates of sterility are available.



Features	Benefits
Continuous loop of mop strands	 Provides improved cleanliness, eliminating cut edges Unique ribbed and twisted strands provides greater sorbency than traditional string mops
Textured large head band	 Provides scrubbing power for difficult stains and debris Durable and chemical resistant
Available gamma irradiated and validated sterile to a 10 ⁻⁶ SAL per ANSI/AAMI/ISO 11137	• Suitable for use in all grades of pharmaceutical cleanroom

PDSM023 | 031723 | ETR3397, 3395, 3415

Copyright © 2023 Contec, Inc. All rights reserved.

Contact us: info@contecinc.com contecinc.com Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333



Part No.	Description		Size	Packaging
EL-MOP	Edgeless Floor Mop		-	1/bag; 20 bags/case
EL-MOP IR	Edgeless Floor Sterile Mop String mop	Sterile	-	1/bag; 20 bags/case
ELMOP3	Edgeless Floor Mop Textured white tailband		-	1/bag; 20 bags/case
ELMOP3IR	Edgeless Floor Sterile Mop	Sterile	-	1/bag; 20 bags/case
ELMOP5	Edgeless Floor Mop Textured		-	1/bag; 30 bags/case
ELMOPMD1	Edgeless Floor Mop Microfiber		-	1/bag; 30 bags/case
EL-MOPT	Edgeless Floor Mop Long textured white tailband		-	1/bag; 20 bags/case
EL-MOPT-GY	Edgeless Floor Mop Long textured gray mop		-	1/bag; 10 bags/case
2646F	QuickConnect Edgeless Floor Mop Frame, polypropylene copolymer with stainless steel connectors		6" x 7" (15 x 18 cm)	1/case

Product Information				
Mop Material	• 100% polyester			
Packaging Materials	 Outer bags (OB1, OB2), low density polyethylene (LDPE) Case (CS), corrugated fiberboard (PAP) 			
Environment	• ISO 4-8 Grade A/B for sterile, C/D for nonsterile			
Shelf life	Sterile: 2 years from manufacturing date			



Recycle Symbols









PP



EL-MOP



EL-MOPT

PDSM023 | 031723 | ETR3397, 3395, 3415

Copyright © 2023 Contec, Inc. All rights reserved.

Contact us: info@contecinc.com contecinc.com Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333



Technical Data							
	EL-MOP, ELMOP IR	ELMOP3, ELMOP3IR	ELMOP5	EL-MOPT-GY	ELMOPMD1	EL-MOPT	
Attribute (units)	Typical Value	Typical Value	Typical Value	Typical Value	Typical Value	Typical Value	Test Method
Mop weight, dry; (g)	439	369	285	438	11.3	432	CTM004-03
Sorbent capacity; (mL/mop)	1578	1819	1427	2433	1581	2310	CTM004-03
Particles ≥ 0.5µm; (x 10 ⁶ /mop)	2.4	12	14	2.7	0.013	11	CTM006-01
Fibers > 100µm; (x 10³/mop)	0.05	0.15	0.84	0.14	0.014	0.28	CTM006-01
Mop Coverage; ft ²							CTM037-01
S-Curve	n/a	520	n/a	880	1476.67	n/a	
Place and Pull	n/a	353.33	n/a	670	953.33	n/a	
Mop frame	2646F						

Packaging	EA/OB1	OB1/OB2	OB2/CS	EA/CS
EL-MOP	1	1	20	20
EL-MOP IR	1	1	20	20
ELMOP3	1	1	30	30
ELMOP3IR	1	1	30	30
ELMOP5	1	1	30	30
ELMOPMD1	1	1	30	30
EL-MOPT	1	1	20	20
EL-MOPT-GY	1	1	10	10

EA = each; OB = outer bag; CS = case

Notes

a) The data shown are typical values and should not be used as product specifications.

b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.

c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

Test Methods

1. CTM = Refers to Contec Test Method.

2. Mop coverage data is based on mop head applying solution such that the mopped surface is visibly wetted across the full mop path with no dry streaking observed, under controlled conditions. It is the responsibility of the user to determine appropriate coverage to ensure surfaces are visibly wet for the contact time required for their specific solution.

PDSM023 | 031723 | ETR3397, 3395, 3415

Copyright © 2023 Contec, Inc. All rights reserved.

Contact us: info@contecinc.com contecinc.com Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333

