## PROSAT<sup>®</sup> Meltblown Polypropylene Wipes

## Presaturated with 70% denatured ethanol and 30% DI water

PROSAT<sup>®</sup> meltblown polypropylene wipes offer exceptional cleanliness suitable for use in a wide variety of critical environments. Saturated with a solution of 70% denatured ethanol and 30% deionized water, the wipes provide a uniform and consistent application of the solution to the surface. PROSAT<sup>®</sup> PS-911ETOH wipes are exceptionally clean and also free from additives of any kind.

Presaturated wipes ensure consistent saturation of each wipe independent of operator. Presaturated wipes can increase solvent control and accountability as well as reduce VOC emissions. The wipes are provided in convenient and easy to use peel and reseal pouches.

Suitable for use in many critical environments, PS-911ETOH wipes are ideal for wiping articles prior to pass through, cleaning process tools and other equipment and general surface cleaning.



Features	Benefits	
Meltblown polypropylene fabric	• Exceptionally clean and free from additives	
Low in particles and fibers	Ideal for a variety of critical applications	
Microsized filaments	Provide exceptional particle removal	
Resealable pouch• Wipes are provided in a resealable pouch for ease of use and convenience• Preserves cleanliness and solvent saturation levels		

Part No.	Description	Size	Packaging
PS-911ETOH	PROSAT Meltblown Polypropylene	9" × 11"	30/pouch;
	Wipes, Presaturated with 70%	(230 x 280 mm)	50 pouches/case
	denatured ethanol/30% DI Water		

PDSW040 | 090822

Copyright © 2022 Contec, Inc. All rights reserved.

Contact us: info@contecinc.com contecinc.com Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333



Product Information		
Material	Polypropylene	
Construction	Meltblown nonwoven	
Packaging mate- rials	<ul> <li>Outer bags (OB1), low density polyethylene (LDPE)</li> <li>Case (CS), corrugated fiberboard (PAP)</li> </ul>	
Environment	• ISO 5-8 Grade C/D	



Technical Data		
Attribute (units)	Typical Value	Test Method
Basis weight, nominal; (g/m²)	36	Contec Method
Non-volatile residue, NVR		IEST-RP-CC004.3, Sec. 7.1.2
In deionized water; (g/m²)	0.01	
In isopropyl alcohol; (g/m²)	0.07	
Specific ions		IEST-RP-CC004.3, Sec. 7.2.2
Sodium; (ppm)	3.0	
Chloride; (ppm)	5.0	
Particles, readily releasable		IEST-RP-CC004.2, Sec. 5.1
Particles $\geq 0.5 \mu m$ ; (x10 <sup>6</sup> /m <sup>2</sup> )	5.8	
Fibers <u>&gt;</u> 100µm; (x 10³/m²)	6.3	



## **Recycle Symbols** PET HDPE LDPE PP PAP

Packaging	EA/PCH	PCH/OB1	OB1/CS	EA/CS
PS-911ETOH	30	10	5	1,500

EA = each; OB = outer bag 2/3; PCH = pouch; CS = case; LBS = pounds

VOC Content	VOC (LBS/CS)	VOC (LBS/PCH)
PS-911ETOH	18.44	0.37

## Notes

a) The data shown are typical values and should not be used as product specifications.

b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.

c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

d) All of Contec's packaging is compatible with hydrogen peroxide gassing applications.

e) These wipes are free of lint and loose fibers, and meet the definition of lint-free/low linting wipes according to the United States Pharmacopoeia Chapter 797 (USP-NF General Chapter

<797> Pharmaceutical Compounding -Sterile Preparations) and the Institute of Environmental Sciences and Technology Recommended Practice IEST-RP-CC004.4

CTM = Contec Test Method 1.

IEST-RP-CC004.3 = Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of environmental Sciences and Technology, Rolling Meadows IL. 2.

PDSW040 | 090822

Copyright © 2022 Contec, Inc. All rights reserved.

Contact us: info@contecinc.com contecinc.com

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333



Test Methods: