

# SATWIPESTM DeltaTM Wipes

## 100% Nonwoven polyester wipes presaturated with IPA/DI water

SATWIPESTM DeltaTM consists of a perforated roll of saturated wipes which are dispensed through a center-pull canister. The wipes consist of 100% nonwoven polyester fabric creating a soft, durable, and clean wipe. The isopropyl alcohol solvent blends provide safe cleaning solutions in various concentrations. Packaged with refill packs and a reusable pop-up dispenser, eliminating the need for solvent bottles and reduces solvent handling.

These wipes meet the requirements of USP<797> and IEST-CC-RP004.4 for “non-shedding, low-lint, lint-free wipes”.



Features	Benefits
Presaturated wipe	• Eliminates the need for solvent bottles
Reusable dispenser	• Reduces solvent handling

Part No.	Description	Size	Packaging
SAT-C3-100	SATWIPESTM Delta Wipes, Presaturated with 99% IPA	6" x 9" (152 x 230 mm)	100/roll; 12 rolls + canister/case
SAT-C3-7030	SATWIPESTM Delta Wipes, Presaturated with 70% IPA/30% DI water	6" x 9" (152 x 230 mm)	100/roll; 12 rolls + canister/case
SAT-C3-7030/18	SATWIPESTM Delta Wipes, Presaturated with 70% IPA/30% DI water	6" x 9" (152 x 230 mm)	100/roll; 18 rolls
SAT-C3-694	SATWIPESTM Delta Wipes, Presaturated with 6% IPA/94% DI water	6" x 9" (152 x 230 mm)	100/roll; 12 rolls + canister/case
SWC30140	SATWIPESTM Delta Wipes, Presaturated with 99% IPA	5.8" x 6" (147 x 152 mm)	150/roll; 12 rolls + canister/case
SAT-C3-AC	SATWIPESTM Delta Wipes, Presaturated with 100% acetone	6" x 9" (152 x 230 mm)	100/roll; 12 rolls + canister/case

## Product Information

Material	100% polyester
Construction	Hydroentangled nonwoven
Packaging materials	Case (CS), corrugated fiberboard (PAP) 



## Technical Data

Attribute (units)	Typical Value	Test Method
Basis weight, nominal; (g/m <sup>2</sup> )	69	Contec Method
Non-volatile residue, NVR		IENT-RP-CC004.2, Sec. 6.1.2
In deionized water; (g/m <sup>2</sup> )	0.055	
In isopropyl alcohol; (g/m <sup>2</sup> )	0.008	
Specific ions		IENT-RP-CC004.2, Sec. 6.2.2
Sodium; (ppm)	1.9	
Chloride; (ppm)	4.7	
Particles, readily releasable		IENT-RP-CC004.2, Sec. 5.1
Particles ≥ 0.5µm; (x10 <sup>6</sup> /m <sup>2</sup> )	16.5	
Fibers ≥ 100µm; (x 10 <sup>3</sup> /m <sup>2</sup> )	1.0	IENT-RP-CC004.2, Sec. 5.2

## Recycle Symbols

PET 

HDPE 

LDPE 

PP 

PAP 

Packaging	EA/RL	RL/PCH	PCH/CS	EA/CS
SAT-C3-100	100	1	12	1,200
SAT-C3-694	100	1	12	1,200
SAT-C3-7030	100	1	12	1,200
SAT-C3-7030/18	100	1	18	1,800
SWC30064	185	1	12	2,200
SWC30140	150	1	12	1,800
SAT-C3-AC	100	1	12	1,200

EA = each; PCH = pouch; RL = roll; CS = case

## Notes

- The data shown are typical values and should not be used as product specifications.
- Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
- Current and/or comparison data may be available. Please contact a Contec sales representative for details.
- All of Contec's packaging is compatible with hydrogen peroxide gassing applications.
- These wipes are free of lint and loose fibers, and meet the definition of lint-free/low linting wipes according to the United States Pharmacopoeia Chapter 797 (USP-NF General Chapter <797> Pharmaceutical Compounding -Sterile Preparations) and the Institute of Environmental Sciences and Technology Recommended Practice IEST-RP-CC004.4

## Test Methods:

- CTM = Contec Test Method
- IENT-RP-CC004.3 = Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of Environmental Sciences and Technology, Rolling Meadows IL

PDSW051 | 052125

Copyright © 2025 Contec, Inc. All rights reserved.