## SATWIPES<sup>®</sup> Wipes (MEK)

## Presaturated 100% lyocell (rayon) wipes with MEK

SATWIPES<sup>®</sup> with 8642 aerospace fabric consists of a roll of saturated wipes dispensed through a reusable center-pull canister with a selfclosing lid. The wipes are 100% lyocell (rayon) fabric that is hydraulically entangled, creating a soft, durable, and clean wipe that provides safe, consistent solvent application and use. Presaturation eliminates the need for solvent bottles, reduces solvent handling and solvent use by up to 35%, and improves the consistency of wipe wetness, which allows for a more uniform distribution of solvent.

SATWIPES are tailored to specific tasks in your facility. This ensures that the right size wipe with the correct amount of solvent is used each time. Durable reusable canister with self-closing lid reduces waste, solvent use and VOCs. *Meets current revision of specification AMS3819*.



Features	Benefits
Solvent specific color-coded labeling	Easy solvent identification
Perforated rolls with self-closing lids	Lids close to prevent wipes from drying out
Reusable canister	Economical and solvent compatible
Various solvent blends	Meet different facility needs
Rayon/nonwoven fabric	Meets aerospace specification AMS3819

PDSW096 | 082423

Copyright © 2023 Contec, Inc. All rights reserved.

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 **surfaceprep.contecinc.com** 

Customer Service tel: 1-866-855-4733 cs\_surfaceprep@contecinc.com



Part No.	Description	Size	Packaging	Canister Part No.
SW420803	SATWIPES Wipes Presaturated with 100% MEK, 500 ml	4" x 4.25" (102 x 108 mm)	200/roll; 18 rolls/case	SWCN0803
SW250011	SATWIPES Wipes Presaturated with 100% MEK, 780 ml	6" x 9" (150 x 230 mm)	100/roll; 18 rolls/case	SWCN0173
SW250104	SATWIPES Wipes Presaturated with 100% MEK, 800 ml	6" x 9" (150 x 230 mm)	100/roll; 6 rolls/case	SWCN0173
SW420022	SATWIPES Wipes Presaturated with 100% MEK, 800 ml	6" x 9" (150 x 230 mm)	100/roll; 18 rolls/case	SWCN0173
SW420182	SATWIPES Wipes Presaturated with 100% MEK, 880 ml	6" x 9" (150 x 230 mm)	100/roll; 18 rolls/case	SWCN0182
SW420191	SATWIPES Wipes Presaturated with 100% MEK, 860 ml	6" x 9" (150 x 230 mm)	100/roll; 18 rolls/case	SWCN0173
SW420054	SATWIPES Wipes Presaturated with 100% MEK, 1200 ml	9" x 11" (230 x 280 mm)	75/roll; 12 rolls/case	SWCN0226
SW420151	SATWIPES Wipes Presaturated with 100% MEK, 1200 ml	9" x 11" (230 x 280 mm)	75/roll; 12 rolls/case	SWCN1033
SW420188	SATWIPES Wipes Presaturated with 100% MEK, 1500 ml	11" x 17" (280 x 430 mm)	50/roll; 12 rolls/case	SWCN1033

Product Information	
Material	100% lyocell (rayon)
Construction	Hydroentangled nonwoven
Saturation solution	100% MEK

35
32120
CA 2
RED
1
1.1

Technical Data			
Attribute (units)	Typical Value	Test Method	
Basis weight, (g/m²)	66		
Non-volatile residue, NVR		IEST-RP-CC004.2, Sec. 6.1.2	
In deionized water; (g/m²)	0.014		
In isopropyl alcohol; (g/m²)	0.027		
Specific ions		IEST-RP-CC004.2, Sec. 6.2.2	
Sodium; (ppm)	<10		
Chloride; (ppm)	<10		
Particles, readily releasable		IEST-RP-CC004.2, Sec. 5.1	
Particles $\geq$ 3.0µm; (x10 <sup>6</sup> /m <sup>2</sup> )	15.0		
Fibers <u>&gt;</u> 100µm; (x 10³/m²)	55	IEST-RP-CC004.2, Sec. 5.2	

PDSW096 | 082423

Spartanburg, SC 29303 USA

surfaceprep.contecinc.com

tel: +1-864-503-8333

Contec, Inc.

Customer Service tel: 1-866-855-4733 cs\_surfaceprep@contecinc.com





SATWIPES

SWCN0173

Contec standard canisters are made of High Density Polyethylene (HDPE) and are both reusable and recyclable. These canisters have been proven to withstand contact with the harshest of solvents. The triple threading ensures that the lid (when screwed on properly) will stay on the canister. The variety of lids choices ensures that there is a lid to respond to every need.

**Recycle Symbol** 

HDPE

Canister Part No.	Diameter	Height	
SWCN1033	4 15/16"	11 7/8"	
SWCN0173	4 15/16"	7 3/8"	
SWCN0803	4 15/16"	4 3/4"	

Part No.	VOC Content pounds/pouch	VOC Content pounds/case
SW420803	0.89	15.97
SW250011	1.38	24.92
SW250104	1.42	8.52
SW420022	1.42	25.56
SW420182	1.56	28.11
SW420191	1.53	27.47
SW420054	2.13	25.56
SW420151	2.13	25.56
SW420188	2.66	31.94

Notes

a) The data shown are typical values and should not be used as product specifications.

b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.

c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.

PDSW096 | 082423

Copyright © 2023 Contec, Inc. All rights reserved.

Contec, Inc. Spartanburg, SC 29303 USA tel: +1-864-503-8333 **surfaceprep.contecinc.com** 

Customer Service tel: 1-866-855-4733 cs\_surfaceprep@contecinc.com

