Cellulose/Polyester blend flat mop heads

Hydroentangled cellulose/polyester with synthetic core

The QuickTask mopping range consists of a variety of flat mop heads that can be easily attached to a choice of flat mop head frames and handle assemblies.

QuickTask TASK0500 and TASK0550 are constructed from hydroentangled cellulose /polyster nonwoven fabric with a synthetic fibrefill core. This provides a highly sorbent mop which is suitable for the removal of light soil, residues and biofilms.

Designed to be cost effective for single use, the mop heads are compatible with a wide range of chemicals and disinfectants, including chlorine solutions. The sterile version is gamma irradiated and validated sterile to a 10^{-6} SAL.

The heads are compatible with the QuickTask Magnetic Mop Head Frames 2906 and 2699, and the QuickTask Polypropylene Mop Frame 2740.



Features	Benefits
Polyester/cellulose cover over a synthetic fibre fill core	 Low levels of particle and fibres Cost effective cleanroom mop head Suitable for removal of light oils, residues and biofilms
Validated sterile option available	Suitable for all grade of pharmaceutical cleanrooms
Suitable for hands free mop removal *	Easy and convenient to useReduces cross contamination

* with appropriate hardware

Part No.	Description	Size	Packaging
TASK0500	QuickTask Cellulose/Polyester mop heads	39 x 13 cm	4 mops per bag 12 bags per case
TASK0550	QuickTask Sterile Cellulose/Polyester mop heads	39 x 13 cm	1 mop per bag 40 bags per case

Copyright © 2023 Contec, Inc. All rights reserved. INT272 220523

Contact us: infoeu@contecinc.com contecinc.com/eu Vannes France tel: +33(0) 2 97 43 76 98 Spartanburg, SC United States tel: +1 (864) 503-<u>8333</u>



Product Information	
Mop material	Nonwoven polyester/cellulose cover; Synthetic fibrefill core
Mop construction	Multilayer sewn lamination/sealed border
Chemical compatibility	• Compatible with a wide range of chemicals and disinfectant
Environment	• ISO 5-8 Grade A/B for sterile, C/D for nonsterile



Technical Data						
Attribute (units)	Typical Value	Test Method				
Mop weight, dry; (g)	31	CTM004-03				
Sorbent capacity; (mL/mop)	352	CTM004-03				
Particles \geq 0.5µm; (x10 ⁶ /mop)	8.8	CTM006-01				
Fibres ≥ 100µm; (x 10³/mop)	0.46	CTM006-01				
Compatible mop frames QuickTask Mop Frames 2906, 2699P, 274						

Notes

a) The data shown are typical values and should not be used as product specifications.
b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
c) Current and/or comparison data may be available.
Please contact a Contec sales representative for details.

Test Methods

CTM Contec Test Method IEST-RP-CC004.3 Evaluating Wiping Materials Used in Cleanroom and Other Controlled Environments, Institute of Environmental Sciences and Technology, Rolling Meadows IL

Packaging Information

Packaging Materials Outer bags Case	Low density polyethylene (LDPE) Corrugated fibreboard (PAP)			6 6	
Packaging Configuration	EA/OB1	OB1/OB2	OB2/OB3	OB2/3/CS	EA/CS
TASK0500	4	1		12	48
TASK0550	1	1	4	10	40

EA = Mop, OB = Outer Bag 1/2/3, CS = Case

Recycling Key



For more information or to request a sample, email infoeu@contecinc.com or phone +33 (0) 2 97 43 76 98.

Contact us: infoeu@contecinc.com contecinc.com/eu Vannes France tel: +33(0) 2 97 43 76 98 Spartanburg, SC United States tel: +1 (864) 503-8333

