

SATWIPE® Wipes (C1)

Nonwoven wipes presaturated with acetone

Contec's SATWIPE Solvent Wiping System consists of nonwoven presaturated wipes dispensed from a center-pull roll in a reusable canister. Our canisters, pouches and lids have been proven to withstand contact with the harshest of solvents. To preserve product integrity, SATWIPE rolls are packaged in specially designed foil pouches, which are opened and loaded into sturdy SATWIPE canisters. SATWIPE are tailored to specific tasks in your facility. This ensures that the right size wipe with the correct amount of solvent is used each time. Durable reusable canister with self-closing lid reduces waste, solvent use and VOCs.



Product Information		
Material	55% polyester/45% cellulose blend	
Construction	Hydroentangled nonwoven	
Saturation Solution	100% acetone	
Attributes (units)	Typical Value*	Test Method
Basis weight (g/m ²)	66	—
Non-volatile residue, NVR		IEST-RP-CC004.2, Sec. 6.1.2
In deionized water (g/m ²)	0.056	
In isopropyl alcohol (g/m ²)	0.015	
Specific ions		IEST-RP-CC004.2, Sec. 6.2.2
Sodium (ppm)	11.2	
Chloride (ppm)	7.8	
Particles, readily releasable P ≥ 3.0µm (x10 ⁶ /m ²)	20.0	IEST-RP-CC004.2, Sec. 5.1

Part no.	Description	Size	Packaging
SWC10191	SATWIPE Wipes Presaturated with 100% acetone	6" x 9" (152 x 230 mm)	100/roll; 18 rolls/case, no canister
SWCN0092	SATWIPE Empty Canister, acetone label	—	10 each/case
SAT-C3-100	SATWIPE Wipes Presaturated with 750 ml of 100% IPA	6" x 9" (152 x 230 mm)	100/roll; 12 rolls/case, 1 canister
SWC30064	SATWIPE Wipes Presaturated with 450 ml of 100% IPA	4.25" x 4" (108 x 102 mm)	185/roll; 12 rolls/case, 1 canister
SWC30140	SATWIPE Wipes Presaturated with 500 ml of 100% IPA	5.8" x 6" (147 x 152 mm)	150/roll; 12 rolls/case, 1 canister
SWC30085	SATWIPE Wipes Presaturated with 450 ml of 100% IPA	4.25" x 4" (108 x 102 mm)	185/roll; 18 rolls/case, no canister

***Notes**

- a) The data shown are typical values and should not be used as product specifications.
b) Valid product comparisons may only be obtained through side-by-side testing in the same test facility, under similar conditions.
c) Current and/or comparison data may be available. Please contact a Contec sales representative for details.